A.I
1
'LI

	Application No.	Applicant(s)		
	10/723,770	BRIDGWATER ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Timothy J Thompson	2873		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to				
2. The allowed claim(s) is/are <u>1-10</u> .				
3. The drawings filed on <u>26 November 2003</u> are accepted by the Examiner.				
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM 	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the		
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give 				
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 				
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendo	te		

Application/Control Number: 10/723,770

Art Unit: 2873

DETAILED ACTION

Page 2

Allowable Subject Matter

Claims 1-10 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art taken either singularity or in combination fails to anticipate or fairly suggest the limitations of the independent claim, in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claim 1, with the allowable features being control means for controlling the operation of the first, second, third and fourth modulators such that the dynamic range of the image display apparatus is enhanced. Therefore claims 1-10 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Ouchi et al.(U.S. Patent Pub. No. 2004/0027543) and Bierhuizen

Application/Control Number: 10/723,770

Art Unit: 2873

Page 3

et al.(U.S. Patent Pub. No. 2003/0214617) are pertinent to the prior art since the are projection systems with an improved dynamic range.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Thompson whose telephone number is (571) 272-2342. If the examiner can not be reached his supervisor, Georgia Epps, can be reached on (571) 272-2328.

T.J.T.

2/1/05

TIMOTHY THOMPSON PRIMARY EXAMINER